

### Overview

## HP PCIe x1 Parallel Port Card

### HP PCIe x1 Parallel Port Card

---

#### Models

HP PCIe x1 Parallel Port Card

N1M40AA/  
N1M40AT

---

#### Introduction

Enable connectivity to your legacy peripheral devices with the HP PCIe x1 Parallel Port Card.<sup>1</sup>

---

#### Key Benefits

- Adapt your current PC technology to meet your legacy environment by installing the card in any available PCIe slot on your PC.
  - Auto-switching between ECP/EPP/SPP/BPP modes without any configuration.
  - Plug-n-Play, I/O address and IRQ assigned by Windows
  - Expands one IEEE1284 Parallel port on the system
  - Rest easy with a limited warranty.<sup>1</sup>
- 

#### Compatibility

The HP PCIe x1 Parallel Port Card Card is compatible with the HP ProDesk 400 G2.5 SFF.

---

#### Service and Support

Your Option Limited Warranty is a one (1) year (HP Option Limited Warranty Period) parts replacement warranty on any HP-branded or Compaq-branded options (HP Options). If your HP Option is installed in an HP Hardware Product, HP may provide warranty service either for the HP Option Limited Warranty Period or the remaining Limited Warranty Period of the HP Hardware Product in which the HP Option is being installed, whichever period is the longer but not to exceed three (3) years from the date you purchased the HP Option.

### Technical Specifications

<b>Dimensions</b> (H x L x W)	0.22 x 4.76 x 3.11 in (18 x 121 x 79 mm) with bracket	
<b>Bus</b>	PCI Express Spec. 2.0, Single-Lane (x1)	
	<b>Interface</b>	IEEE 1284
	<b>Number of ports</b>	1 port
<b>Parallel Communication</b>	<b>FIFO</b>	16 byte hardware
	<b>Mode</b>	SPP/ECP/EPP/BPP
	<b>Speed</b>	Maximum 1.8 MBps
	<b>PCB connector</b>	DB25 Female
<b>Driver Support</b>	<b>Microsoft Windows</b>	Windows 7/8.1 (x86/x64)
<b>Regulatory Approvals</b>	<b>Hardware</b>	CE EN55022 Class B, EN55024, EN61000-3-2, EN61000-3-3, VCCI Class B, FCC Part 15 Class B, BSMI: CNS13438, C-Tick; CISPR22 AS/NZS, RoHS
	<b>Operating Temperature</b>	32° to 140° F (0° to 60° C)
<b>Environmental</b>	<b>Operating Humidity</b>	5% to 95% RH
	<b>Storage Temperature</b>	-4° to 185° F (-20° to 85° C)
<b>Option kit contents</b>	HP PCIe x1 Parallel Port Card and documentation.	

1. One-year limited warranty, or the remaining warranty of the HP Desktop in which the card is installed.

© Copyright 2015 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

### Summary of changes

Date of change:	Version History:		Description of change: