

8 Port USB to RS232 Serial DB9 Adapter Hub

StarTech ID: ICUSB2328



The ICUSB2328 8 Port USB to Serial RS232 DB9 Adapter Hub lets you connect up to eight RS232 serial devices to your Mac or PC, laptop or desktop computer through a single USB port, as though the computer offered integrated DB9M serial connectors.

The RS232 Serial Hub is compactly designed to preserve valuable workspace, and is bus-powered to eliminate the need for an external power adapter or wall outlet - a cost-effective solution that bridges the compatibility gap between modern USB-capable computers and legacy RS232 serial peripherals.

Backed by a StarTech.com lifetime warranty and free lifetime technical support.

Applications

- Connect modems, digitizer tablets, mice, bar code scanners, GPS receivers, ISDN terminal adapters, mobile phones, scanners, UPS and POS equipment to your system
- Connect and program LED and Digital signage boards with serial communication ports

Features

- Adds eight Straight-Through RS232 serial ports using USB
- Bus-powered – requires no external power adapter
- Easy Plug-and-Play installation
- Fully compliant with USB 1.1 specifications and compatible with USB 2.0

Technical Specifications

Warranty	Lifetime
Ports	8
Interface	Serial
Bus Type	USB 2.0
Port Style	External Hub
Chipset ID	FTDI - FT232RL
Connector Type(s)	1 - USB B (4 pin) Female
External Ports	8 - DB-9 (9 pin; D-Sub) Male
Serial Protocol	RS-232
Max Baud Rate	921.6 Kbps
Data Bits	7, 8
FIFO	256 Bytes
OS Compatibility	Windows® 8 / 8.1 (32/64), 7 (32/64), Vista (32/64), XP (32/64), ME, 98SE Windows Server® 2012, 2008 R2, 2003 Mac OS® 10.x (Tested up to 10.10) Linux
Enclosure Type	Plastic
Cable Length	6 ft [1.8 m]
Product Length	5.9 in [150 mm]
Product Width	2.6 in [66.5 mm]
Product Height	1 in [26 mm]
Product Weight	30.4 oz [860 g]
Power Source	Not Included (not required for standard applications)
Output Voltage	5 DC
Output Current	1A+
Center Tip Polarity	Positive
Plug Type	M
Operating Temperature	0°C to 55°C (32°F to 131°F)
Storage Temperature	-20°C to 85°C (-4°F to 185°F)
Humidity	5~95% RH
Shipping (Package) Weight	1.9 lb [0.8 kg]
Included in Package	1 - 8 Port Serial Hub
Included in Package	1 - Serial Breakout Cable
Included in Package	1 - 6ft USB Cable

Included in Package	1 - Driver CD
Included in Package	1 - User Manual

Certifications, Reports and Compatibility

