

4 port PCI 1394a FireWire Adapter Card - 3 External 1 Internal

StarTech ID: PCI1394MP



This 4 Port (3 External/1 Internal) PCI 1394 FireWire Adapter Card lets you connect iPods, MP3 players, portable drives, digital camcorders and more to your desktop computer.

The FireWire adapter card supports hot-swapping, so you'll be able to plug, unplug, and swap your FireWire peripherals with ease.

Guaranteed to work with both PCs and Macs, the 4 port PCI FireWire Adapter Card is backed by StarTech.com's Lifetime Warranty and FREE LIFETIME tech support. Plus, the adapter provides both standard profile and low profile/half-height brackets for adapting to slimline or small form factor system applications.

Please Note: If you require digital video editing software, StarTech.com offers a complete FireWire kit with our [PCI1394_4](#) card. This software is compatible with Windows operating systems only.

WHQL Certified - Designed to work with Microsoft Windows XP

Applications

- Add a high-speed FireWire port to a full or small form factor desktop without any FireWire ports
- Connect a digital camera to a desktop with a PCI slot to download photos and video
- Connect a external FireWire hard drive or optical drive to a PCI-enabled system

Features

- 3 external, 1 shared internal FireWire400 port, with supported data transfer rates up to 400 Mbps
- Compliant with IEEE 1394a - 2000 as well as 1394-1995 standards
- Includes Low Profile installation bracket
- Plug-and-Play and hot-swap compatible

Technical Specifications

Warranty	Lifetime
Bus Type	PCI (5 Volt)
Card Type	Standard Profile (LP bracket incl.)
Chipset ID	Texas Instruments - TSB12LV26
Industry Standards	IEEE 1394a
Industry Standards	OHCI
Industry Standards	PCI 2.1
Interface	FireWire 400 (1394a)
Ports	4
Maximum Data Transfer Rate	400 Mbps
Connector Type(s)	1 - PCI (5V; 32-bit) Male
External Ports	3 - Firewire 400 (6 pin; IEEE 1394a) Female
Internal Ports	1 - Firewire 400 (6 pin; IEEE 1394a) Female
Microsoft WHQL Certified	Yes
OS Compatibility	Windows® 8 / 8.1 (32/64bit), 7 (32/64), Vista (32/64), XP (32/64), 2000 Windows Server® 2012, 2008 R2, 2003 Mac OS® 10.x (Tested up to 10.4) Linux
Product Height	3.1 in [8 cm]
Product Length	4.8 in [12.3 cm]
Product Weight	2.5 oz [70 g]
Product Width	0.7 in [18 mm]
Shipping (Package) Weight	0.2 lb [0.1 kg]
Included in Package	1 - PCI FireWire Card
Included in Package	1 - Low Profile Bracket
Included in Package	1 - Instruction Manual

Certifications, Reports and Compatibility

