

# Flat-Screen TV Ceiling Mount - For 32in to 70in LCD, LED or Plasma TVs

Product ID: FLATPNLCEIL



Save space and mount your flat-screen television in the ideal viewing location, by suspending it from the ceiling. This robust steel ceiling mount supports VESA mount compatible TVs up to 70" in size. It's easy to adjust, so you can change the distance from the ceiling, and tilt or pan to create the optimal viewing angle.







### Mount your TV in a prominent place, while saving space

The TV ceiling mount lets you mount your flat-panel LCD, LED or plasma TV in a prominent and comfortable viewing area while saving wall, desk and floor space. It's ideal for use in corporate boardrooms, hotel lobbies, restaurants, bars and meeting spaces. The heavy-duty TV ceiling mount works with 32 to 70" displays, and supports a weight capacity of up to 50 kg (110 lb.), making it compatible with a wide selection of TVs. To keep the cables out of view, you simply run the cables through the inside of the pole, exiting near the top.

### Adjust the distance from the ceiling

With an adjustable pole length, the telescopic-style pole makes it easy to mount your display at the desired distance from the ceiling and works well with a range of ceiling heights. The robust steel pole can extend up to 1560 mm (61 in.) at maximum length, working well with most drop ceilings which are often found in commercial environments. The ceiling mount offers an extension range of 42 in. (1060 mm) to 61 in. (1560 mm) from the ceiling and features a height adjustment of 500 mm (19.7").

### Swivel the ceiling mount to suit your ceiling type

The LCD ceiling mount is designed to accommodate a wide variety of ceiling types. The ceiling mount swivels, so you can adjust the mount to work with virtually any type of ceiling for level viewing, including sloped ceilings (up to  $60^{\circ}$ ), and pitched or horizontal (flat) ceilings. The extension pole also swivels +  $180^{\circ}$  / -  $180^{\circ}$  for optimum viewing.

### Adjust your display for the ideal viewing angle

You can adjust your flat-screen TV to create a comfortable viewing angle, by tilting it (up to -25°) down towards your audience for optimum visibility. The ceiling mount also features a 360° pan, which makes it easy to set up for viewing from any direction you choose.







### Easy and secure setup

The hook-and-mount design of the TV ceiling mount makes setup fast and easy. You simply attach the vertical brackets, with built-in hooks, to the back of your TV. Once the brackets are attached, you then hang your TV securely onto the ceiling mount. Cable management helps to keep cables out of view.

The FLATPNLCEIL is backed by a StarTech.com 2-year warranty and free lifetime technical support.





## Certifications, Reports and Compatibility





### **Applications**

- Safely and securely suspend your flat-screen TV from the ceiling for easy viewing in boardrooms, lobbies, lecture halls, classrooms and meeting spaces
- Keep your guests informed or entertained, ideal in hotels, restaurants and other hospitality venues
- Save wall and desk space in your home theater

#### **Features**

- Save space by suspending your 32" to 70" flat-screen TV from the ceiling
- Ceiling mount swivels + 60° / 60° to adjust to sloped or level ceiling heights
- Heavy-duty steel ceiling mount supports up to 110 lb. (50 kg)
- Hook-and-mount design for easy setup with VESA Mount compliant TVs: 200x200, 300x300, 400x200, 400x400, 600x400 mm
- Min-max pole length extension of 1060 to 1560 mm (42 to 61 in.)
- Extension pole swivels + 180° / 180° for optimum viewing
- 25° of downward tilt to create the ideal viewing angle



### **Data Sheet**

Hardware # of Displays Supported 1  Mounting Options Ceiling Mount  VESA Hole Pattern(s) 200x200 mm	
VESA Hole Pattern(s) 200x200 mm	
300x300 mm	
400x200 mm	
400x400 mm	
600x400 mm	
Wallmountable No	
Performance Display Rotation 360°	
Height Adjustment Yes	
Maximum Display Size 70"	
Maximum Height 19.7 in [500 mm]	
Minimum Display Size 32"	
Swivel / Pivot +180° to -180°	
Tilt +0° / -25°	
Weight Capacity per Monitor 110.5 lb [50 kg]	
Physical Color Black	
Characteristics	
Characteristics       Packaging     Shipping (Package) Weight     0.3 oz [7.3 g]	
Characteristics  Packaging Shipping (Package) Weight 0.3 oz [7.3 g]  Information	
Characteristics  Packaging Shipping (Package) Weight 0.3 oz [7.3 g]  Information  What's in the Box Included in Package 1 - ceiling mount and pole	
Characteristics  Packaging Information  Shipping (Package) Weight 0.3 oz [7.3 g]  What's in the Box Included in Package 1 - ceiling mount and pole 1 - extension pole	
Characteristics  Packaging Information  Shipping (Package) Weight 0.3 oz [7.3 g]  What's in the Box Included in Package 1 - ceiling mount and pole 1 - extension pole 2 - vertical brackets	
Characteristics  Packaging Information  Shipping (Package) Weight 0.3 oz [7.3 g]  What's in the Box Included in Package 1 - ceiling mount and pole 1 - extension pole 2 - vertical brackets 1 - horizontal bracket	
Packaging Information  Shipping (Package) Weight 0.3 oz [7.3 g]  What's in the Box Included in Package 1 - ceiling mount and pole 1 - extension pole 2 - vertical brackets 1 - horizontal bracket 2 - bolts	
Packaging Information  Shipping (Package) Weight 0.3 oz [7.3 g]  What's in the Box Included in Package 1 - ceiling mount and pole 1 - extension pole 2 - vertical brackets 1 - horizontal bracket 2 - bolts 2 - nuts	
Packaging Information  Shipping (Package) Weight 0.3 oz [7.3 g]  What's in the Box Included in Package 1 - ceiling mount and pole 1 - extension pole 2 - vertical brackets 1 - horizontal bracket 2 - bolts 2 - nuts 1 - M13 wrench	
Packaging Information  Shipping (Package) Weight 0.3 oz [7.3 g]  What's in the Box Included in Package 1 - ceiling mount and pole 1 - extension pole 2 - vertical brackets 1 - horizontal bracket 2 - bolts 2 - nuts 1 - M13 wrench 1 - M5 Allen key	



### **Data Sheet**

- 4 M8x30 mm screws
- 4 M6x30 mm screws
- 4 M8x50 mm screws
- 4 washers
- 8 short spacers
- 8 long spacers
- 4 6.3x55 mm screws
- 4 concrete anchors
- 4 flat washers
- 1 instruction manual

Product appearance and specifications are subject to change without notice.