

5m USB 3.0 Active Extension Cable - M/F

StarTech ID: USB3AAEXT5M



The USB3AAEXT5M, 5-meter Active USB 3.0 Extension Cable, offers one USB type-A (male) connector and one USB type-A (female) connector, and provides an active extension of USB 3.0 devices of up to 5-meters (16-feet).

An all in one cable for overcoming distance restrictions as well as power source limitations; the active USB 3.0 extension cable incorporates bus powered active circuitry to ensure performance beyond the length limits of standard USB cables. Up to 4 of these cables can be daisy-chained together, allowing the connection to be extended a total of 20-meters. If necessary, the USB device can be powered from a wall outlet using the Universal AC power adapter provided with the cable.

The USB3AAEXT5M extension cable (USB Extender) supports high speed USB 3.0 transfer rates of up to 5Gbps, and is backed by StarTech.com's 2-year Warranty.

Applications

- Extend the distance of USB peripherals beyond the USB 3.0 3-meter limitation
- Cascade up to 4 levels
- Backwards compatible with USB 2.0/1.1 devices

Features

- Fully shielded for error-free connections
- Plug-and-play, no driver required
- USB bus-powered

Technical Specifications

| | |
|---------------------------|--|
| Warranty | 2 Years |
| Connector Plating | Nickel |
| Cable Jacket Type | PVC - Polyvinyl Chloride |
| Connector A | 1 - USB 3.0 A (9 pin; SuperSpeed) Male |
| Connector B | 1 - USB 3.0 A (9 pin; SuperSpeed) Female |
| Note | Cascade up to 4 USB3AAEXT5M devices together for further extension |
| Color | Black |
| Cable Length | 16.4 ft [5 m] |
| Product Weight | 13.2 oz [375 g] |
| Power Source | AC Adapter Included |
| Input Voltage | 110 ~ 240 AC |
| Input Current | 0.35 A |
| Output Voltage | 5 DC |
| Output Current | 2A |
| Center Tip Polarity | Positive |
| Plug Type | H |
| Package Quantity | 1 |
| Shipping (Package) Weight | 18.3 oz [517 g] |
| Included in Package | 1 - 5 m USB 3.0 Active Extension Cable - M/F |
| Included in Package | 1 - Universal Power Adapter |

Certifications, Reports and Compatibility

