



# V7 Mini DisplayPort to HDMI Adapter

CBL-MH1WHT-5E

## Key Features

- Allows you to connect a high definition monitor, projector, or LCD that uses a HDMI connector
- Supports HDMI highest video resolution 1080p

## Overview

The V7 Mini DisplayPort to HDMI Adapter lets you connect a high definition monitor, projector, or LCD that uses a HDMI connector or cable to an Apple MacBook, MacBook Pro as well as other Apple products with a mini DisplayPort. The adapter allows you to view HD content from your Blue-ray players or a cable box on your Apple LED-backlit widescreen monitor. The V7 Mini Display Port to HDMI adapter supports high-resolution video and audio, allowing you to display HD content from external devices on the 27-inch iMac.

Simple to use, this small form factor converter makes Mini DisplayPort backwards compatible with your existing HDMI display or projector. No software installation or drivers required providing a simple plug and play solution.



**CBL-MH1WHT-5E**

## Specification

<b>V7 Model #</b>	CBL-MH1WHT-5E
<b>IM SKU #</b>	J151778
<b>EAN</b>	4038489023896
<b>Cable length</b>	17 cm
<b>Color</b>	White
<b>Compatibility</b>	MacBook, MacBook PTo, and MacBook Air with Mini Display Port Connection
<b>Country of Origin</b>	China
<b>Features</b>	Allows you to connect a high definition monitor, projector, or LCD that uses a HDMI connector; Supports HDMI highest video resolution 1080p
<b>Material</b>	Acrylonitrile butadiene styrene; copper
<b>Product dim. (L/W/H)</b>	170 x 45 x 15 mm
<b>Product Type</b>	Adapter: Mini DisplayPort to HDMI
<b>Product Weight</b>	54 g
<b>Warranty</b>	2 years

The data in this publication is for illustration purposes only and does not necessarily represent standards or specifications which must be met by V7. Design and specifications are subject to change without prior notice. Trademarks belong to their respective owners. No responsibility assumed and all liability for damages resulting from use of this information or for any errors or omissions, are disclaimed. Measurement standards and testing conditions, as per manufacturer definitions, are available on request.