

Video-Wall Mount - For 45" to 70" Displays - Anti-Theft - Heavy Duty Steel

Product ID: VIDWALLMNT



This professional video-wall mount features an innovative pop-out design that enables fast and easy display alignment and adjustment, within a multi-display video wall.

A versatile video wall mounting system

Engineered with heavy-duty steel, the video-wall mount securely supports 45" to 70" displays, weighing up to 154 lb. (70 kg).

Using multiple VIDWALLMNT wall mounts, you can create an impressive video wall, enabling you to align your displays in unison. It's the ideal solution for public, business and commercial displays and includes an anti-theft feature (with padlock required).





Align your displays seamlessly

With its unique pop-out design, the video wall mount helps you align your displays with perfect precision. Once installed, you simply press gently on the front of the display and the mount extends out from the wall for rear-screen access. This pop-out feature makes it easy to adjust the position and angle of the display, or replace a display when required.

The video-wall mount features 6 points of micro-adjustment, with vertical, tilt and swivel adjustments, to provide exact display alignment and an optimum viewing angle. You can tilt your display $+3^{\circ}$ / -5° , adjust the swivel angle $+1.2^{\circ}$ / -1.2° , and rotate the display $+3^{\circ}$ / -3° . The video-wall mount also features lateral shift brackets, making it easy to move the display to the left or right for ideal alignment in your video wall.

Easy installation and maintenance

This video-wall mounting system is designed for easy set-up and maintenance. The pop-out design also assists in installation and maintenance, plus a convenient kickstand allows you to tilt the display up to 12° giving you extra room when adjusting cables or accessing ports.

The VIDWALLMNT is backed by a StarTech.com 5-year warranty and free lifetime technical support.





Certifications, Reports and Compatibility



Applications

- Create an impressive video wall in a business lobby, retail venue or commercial space
- Set up multiple screens to use for presentations in educational facilities, medical centers or conference centers

Features

- Pop-out design extends easily (up to 12"/306 mm) to provide rearscreen access, for display alignment and adjustment
- 6 points of micro-adjustment (vertical, tilt and swivel) for exacting display alignment and optimum viewing
- Supports 45" to 70" display with weight capacity of 154 lb. (70 kg)
- Low-profile design, minimum 5.6" (142 mm) from the wall
- Heavy-duty steel construction
- Lateral shift brackets make it easy to adjust the position of monitors, left or right
- Lock/unlock switch helps to lock or release display out of the wall plate
- Swivel angle of +1.2° / 1.2° for precise display alignment
- Anti-theft design for security (padlock required)
- Kickstand and up to 12° tilt gives you extra room when adjusting cables or accessing ports
- Maximum VESA 600x400 hole pattern



Data Sheet

	Warranty	5 Years
Hardware	# of Displays Supported	1
	Mounting Options	Wall-Mount
	VESA Hole Pattern(s)	200x200 mm
		300x300 mm
		400x200 mm
		400x400 mm
		600x400 mm
Performance	Maximum Arm Extension	12 in [306 mm]
	Maximum Display Size	70"
	Minimum Display Size	45"
	Tilt	+3° / -5°
	Weight Capacity (Per Display)	0.2 lb [0.1 kg]
Special Notes / Requirements	Note	The video-wall mount is designed for precise display alignment. You can tilt your display $+3^{\circ}$ / -5° , adjust the swivel angle $+1.2^{\circ}$ / -1.2° , and rotate the display $+3^{\circ}$ / -3° .
Physical Characteristics	Color	Black
	Enclosure Type	Steel and Aluminum
	Product Height	19 in [483 mm]
	Product Length	36.8 in [934 mm]
	Product Weight	34.7 lb [15.7 kg]
	Product Width	12 in [306 mm]
Packaging Information	Shipping (Package) Weight	36.5 lb [16.5 kg]
What's in the Box	Included in Package	1 - wall plate
		1 - adjustment module
		2 - adapter brackets
		2 - stoppers
		2 - plastic tabs
		1 - hex key
		4 - M5x14 mm screws
		4 - M6x14 mm screws



Data Sheet

- 4 M8x20 mm screws
- 4 M6x30 mm screws
- 4 M8x30 mm screws
- 4 rectangular washers
- 8 small spacers
- 4 large spacers
- 6 6.3x55 mm screws
- 6 concrete anchors
- 6 washers
- 1 instruction manual

Product appearance and specifications are subject to change without notice.