

## Travel A/V adapter: 3-in-1 Mini DisplayPort to VGA DVI or HDMI converter

StarTech ID: MDP2VGDVHD



The MDP2VGDVHD Mini DisplayPort to VGA, DVI or HDMI converter offers a 3-in-1 solution for connecting an mDP source such as an Ultrabook<sup>®</sup> or MacBook<sup>®</sup> laptop to a VGA, DVI, or HDMI Display, ensuring compatibility with almost any display, television or projector -- an ideal plug-and-play solution for travel, or BYOD (Bring Your Own Device) applications at the office.

The 3-in-1 converter is compatible with Intel<sup>®</sup> Thunderbolt<sup>™</sup>, when connected directly to a supporting DisplayPort over Thunderbolt I/O port. Plus, because the converter cable supports video resolutions up to 1920x1200/1080p you can convert a Mini DisplayPort video source to VGA, HDMI, or DVI without sacrificing video quality.

With a small footprint and lightweight design, the MDP2VGDVHD is as portable as your laptop computer, and is backed by a 2-year StarTech.com warranty and free lifetime technical support.

### Applications

- Keep the adapter with you while traveling, to connect to virtually any display you come across
- Connect your BYOD laptop/Ultrabook to a provided HDMI, DVI, or VGA display at work
- Connect a DVI, VGA, or HDMI display to your Mini DisplayPort laptop, to use as a secondary monitor

## Features

- Three-in-one adapter - mDP to VGA, mDP to HDMI and mDP to DVI
- Support for video resolution up to 1920x1200/1080p
- Plug-and-play installation
- Compatible with Intel® Thunderbolt™ devices that are capable of outputting a DisplayPort signal
- Small footprint
- Lightweight design

## Technical Specifications

Warranty	2 Years
Audio Specifications	5.1 Surround Sound (Video source and destination dependant)
Maximum Analog Resolutions	1920x1200/1080p
Maximum Digital Resolutions	1920x1200/1080p
Wide Screen Supported	Yes
Adapter Style	Adapter
Audio Converter Type	Yes
Travel A/V Adapters	Travel A/V Adapters
Output Signal	DisplayPort
Output Signal	HDMI
Connector A	1 - Mini-DisplayPort (20 pin) Male
Connector B	1 - HDMI (19 pin) Female
Connector B	1 - VGA (15 pin; High Density D-Sub) Female
Connector B	1 - DVI-D (25 pin) Female

**Note** Only one video output is supported on the video adapter at a time. If multiple connections are made, only one of the outputs will function.

Product Height	15 mm [0.6 in]
Product Length	100 mm [3.9 in]
Product Weight	51 g [1.8 oz]
Product Width	45 mm [1.8 in]
Humidity	10~85% RH
Operating Temperature	0°C to 70°C (32°F to 158°F)
Storage Temperature	-10°C to 80°C (14°F to 176°F)
Shipping (Package) Weight	67 g [2.4 oz]
Included in Package	1 - Mini DisplayPort to HDMI/VGA/DVI Adapter
Included in Package	1 - Installation Guide

Certifications, Reports and Compatibility

