

25m USB 2.0 Active Extension Cable - M/F

StarTech ID: *USB2AAEXT25M*



The USB2AAEXT25M 25m Active USB 2.0 Extension Cable offers one USB-A male connector and one USB-A female connector, and provides an active extension of USB 2.0 devices of up to 25-meters (80-feet).

An all-in-one cable for overcoming distance restrictions as well as power source limitations, the active USB 2.0 extension cable incorporates bus-powered active circuitry to ensure performance beyond the length limits of standard USB cables. Plus you can daisy chain 2 cables for a total USB extension of up to 50-meters.

If necessary, the USB device can be powered from a wall outlet using the Universal AC power adapter (provided with the cable).

The USB2AAEXT25M repeater cable supports the full USB 2.0 bandwidth of 480 Mbps, and is backed by StarTech.com's 2-year Warranty.

Applications

- Extend the distance of USB peripherals beyond the USB 2.0 5-meter limitation
- Daisy chain 2 cables together for even longer USB extensions

Features

- USB bus-powered
- Universal external power source also included
- Blue LED indicator x1 for Extension Cable and USB port connection status monitoring
- Fully shielded for error-free connections
- Plug and play, no driver required

Technical Specifications

Warranty	2 Years
Connector Plating	Nickel
Cable Jacket Type	PVC - Polyvinyl Chloride
Connector A	1 - USB A (4 pin) Male
Connector B	1 - USB A (4 pin) Female
Note	Cascade two USB2AAEXT25M devices together for further extension
Color	Black
Connector Style	Straight
Cable Length	82 ft [25 m]
Product Length	82 ft [25 m]
Product Width	0.6 in [16.5 mm]
Product Height	0.4 in [10 mm]
Product Weight	34.3 oz [972 g]
Power Source	AC Adapter Included
Input Voltage	110 ~ 240 AC
Input Current	0.35 A
Output Voltage	5 DC
Output Current	1A
Center Tip Polarity	Positive
Plug Type	H
Package Quantity	1
Shipping (Package) Weight	2.7 lb [1.2 kg]
Included in Package	1 - 25m USB 2.0 Active Extension Cable - M/F
Included in Package	1 - Universal Power Adapter

Certifications, Reports and Compatibility

